

# ShawContract®

## eco evolution® weave 42 base construction

product type	<b>broadloom</b>
construction	<b>multi-level pattern cut/loop</b>
fiber	<b>eco solution Q® nylon</b>
dye method	<b>100% dye injection print</b>
primary backing	<b>synthetic</b>
secondary backing	<b>ClassicBac®</b>
protective treatments	<b>srs®   shaw stain resistant system</b>

	u.s.	metric
product size	<b>12 ft</b>	<b>3.66 m</b>
gauge	<b>1/10 in</b>	<b>39.4 per 10 cm</b>
stitches	<b>13.0 per in</b>	<b>51 per 10 cm</b>
finished pile thickness	<b>0.275 in</b>	<b>6.99 mm</b>
average density	<b>5498 oz/yd<sup>3</sup></b>	<b>0.203 g/cm<sup>3</sup></b>
total thickness	<b>0.417 in</b>	<b>10.59 mm</b>
tufted weight	<b>42 oz/yd<sup>2</sup></b>	<b>1424 g/m<sup>2</sup></b>



## recommended installation method

direct glue

## performance + testing

antimicrobial assesment	<b>passes (AATCC-174) (When installed using Shaw 1036 adhesive)</b>
pill test	<b>pass</b>
radiant panel	<b>class I</b>
nbs smoke	<b>less than 450</b>
electrostatic propensity	<b>less than 3.5 kv</b>
CRI Green Label Plus (GLP)	<b>GLP8878</b>

## warranties

20 year commercial limited

## attributes + certifications

Cradle to Cradle Certified™

Health Product Declaration (HPD)

Environmental Product Declaration (EPD)

nsf 140

CRI Green Label Plus (GLP)

ce marking (EN 14041)

environmental guarantee\*

total recycled content

product packaging

country of origin\*\*

**silver level (version 3.1)**

**per ghs sds disclosure**

**3rd party certified in accordance with ISO14044, ISO14025 & EN15804**

**gold**

**GLP8878**

**3rd party certified**

**pickup & delivery available in americas**

**13% (post industrial 13% | post consumer 0%)**

**100% recyclable**

**USA**

## green leed contribution credit

MR Credit: Building Product Disclosure and Optimization  
Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

MR Credit: Building Product Disclosure and Optimization  
Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization  
Material Ingredients - Option 2: Material Ingredient Optimization

**3rd party certified in accordance with ISO14044, ISO14025 & EN15804**

**C2C silver level (version 3.1)**

**C2C silver level (version 3.1)**

## additional information

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](http://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302